
















<b>stage 1</b>				
	20	10		
Minimum number of rounds:	10			
Targets:	10 IPSC Targets			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 2</b>				
	20	8	1	3
Minimum number of rounds:	20			
Targets:	8 IPSC Targets, 1 IPSC Popper, 3 IPSC metal plates			
Start position:	Competitor standing erect <b>on mark</b> , with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving target All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 3</b>				
	40	18	4	
Minimum number of rounds:	40			
Targets:	18 IPSC Targets, 4 IPSC poppers			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 4</b>				
	10	4	1	1
Minimum number of rounds:	10			
Targets:	4 IPSC Targets, 1 IPSC Popper, 1 plate			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving target All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 5</b>		  
	10	5
Minimum number of rounds:	10	
Targets:	5 IPSC Targets	
Start position:	Competitor standing anywhere erect with the firearm in the ready condition on table barrel parallel to the ground	
Firearms Ready Condition:	Firearms empty on the table, Option 3 All magazines on the table	
Time Start:		
Procedure:	After start signal engage all the targets from designated area	
Safety angles:	90 degrees left/right, High of top of the backtop	








<b>stage 6</b>				
	10	3	1	3
Minimum number of rounds:	10			
Targets:	3 IPSC Targets, 1 IPSC Popper, 3 IPSC metal plates			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			







<b>stage 7</b>				
	10	3	1	3
Minimum number of rounds:	10			
Targets:	3 IPSC Targets, 1 IPSC Popper, 3 IPSC Plates			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 8</b>				
	20	9	1	1
Minimum number of rounds:	20			
Targets:	9 IPSC Targets, 1 IPSC Popper, 1 IPSC Plate			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving targets. All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			











<b>stage 9</b>				
	10	4	2	
Minimum number of rounds:	10			
Targets:	4 IPSC Targets, 2 IPSC metal plates			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 10</b>				
	32	15		2
Minimum number of rounds:	32			
Targets:	15 IPSC Targets, 2 IPSC Plates			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backstop			








<b>stage 11</b>				
	10	4	1	1
Minimum number of rounds:	10			
Targets:	4 IPSC Targets, 1 popper, 1 plate			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area Popper 1 activates moving target. All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 12</b>				
	20	10		
Minimum number of rounds:	20			
Targets:	10 IPSC Targets			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 13</b>				
	10	3	2	2
Minimum number of rounds:	10			
Targets:	3 IPSC Targets, 2 IPSC Popper, 2 plates			
Start position:	Competitor standing erect on mark with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving target All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 14</b>				
	20	8		4
Minimum number of rounds:	20			
Targets:	8 IPSC Targets, 4 IPSC Metal plate			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			







<b>stage 15</b>				
	10	3	4	
Minimum number of rounds:	10			
Targets:	3 IPSC Targets, 4 IPSC poppers			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 16</b>				
	20	10		
Number of rounds to be scored:	20			
Targets:	10 IPSC Targets			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			











<b>stage 17</b>				
	32	13	4	2
Number of rounds to be scored:	32			
Targets:	13 IPSC Targets, 4 IPSC Poppers, 2 plates			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 18</b>				
	10	2	4	2
Number of rounds to be scored:	10			
Targets:	2 IPSC Targets, 4 poppers, 2 IPSC metal plates			
Start position:	Competitor standing erect anywhere, gun empty on the table			
Firearms Ready Condition:	Gun empty on the table ,Option 3 _____ All magazines on belt			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 19</b>				
	10	3	2	2
Number of rounds to be scored:	10			
Targets:	3 IPSC Targets, 2 Poppers, 2 plates			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving target All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 20</b>				
	20	8	2	2
Number of rounds to be scored:	20			
Targets:	8 IPSC Targets, 2 IPSC poppers, 2 plates			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving target All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			








<b>stage 21</b>				
	10	4		2
Number of rounds to be scored:	10			
Targets:	4 IPSC Targets, 2 IPSC metal plates			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			







<b>stage 22</b>				
	9	4	1	
Number of rounds to be scored:	9			
Targets:	4 IPSC Targets, 1 IPSC plate			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			



<b>stage 23</b>				
	20	9	2	
Number of rounds to be scored:	20			
Targets:	9 IPSC Targets, 2 IPSC poppers			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area platform activates moving target All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			



<b>stage 24</b>				
	40	20		
Number of rounds to be scored:	40			
Targets:	20 IPSC Targets			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards,			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Time Start:				
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			

